Author Index

Agrawal, O. P., see Kharbade, B. V. 430
Aleschko-Ozhevskii, Yu. P., see Zaslavsky, B. Yu. 267
Ansari, K. A.
—— and Shoeman, D.
Rapid separation of free fatty acids from neutral lipids in brain extracts 453
Arvidsson, T.
Effects of drug–protein binding on trace enrichment of drugs in blood plasma on short precolumns 353
Bagirov, T. O., see Zaslavsky, B. Yu. 267
Bakker, F. P., see Keuken, M. P. 13
Baltensperger, U.
—— and Kern, S.
Determination of mono- and divalent cations and anions in small fog samples by ion chromatography 121
Baumann, R. A.
——, Kamminga, D. A., Derlagen, H., Gooijer, C., Velthorst, N. H. and Frei, R. W.
Dynamic quenching of europium(III) and terbium(III) luminescence: a potential detection method in ion chromatography 165
Baumhoer, G., see Blaszkewicz, M. 109
Blaszkewicz, M.
——, Baumhoer, G., Neidhart, B., Ohlendorf, R. and Lindscheid, M.
Identification of trimethyllead in urine by high-performance liquid chromatography with column switching and chemical reaction detection and by liquid chromatography–mass spectroscopy 109
Brinkman, U. A. Th., see Irth, H. 63
Brouwer, E., see Irth, H. 63
Brown, J. W.
——, Carballeira, A. and Fishman, L. M.
Rapid two-dimensional thin-layer chromatographic system for the separation of multiple steroids of secretory and neuroendocrine interest 441
Buchberger, W.
Determination of iodide and bromide by ion chromatography with post-column reaction detection 129
Budd, R. D., see Mathis, D. F. 466
Carballeira, A., see Brown, J. W. 441
Caude, M., see Jadaud, Ph. 195
——, see Jardy, A. 137
Chae, K.
——, Levy, L. A. and Korach, K. S.
Chromatographic separation and isolation of the enantiomers of diethylstilbestrol metabolites 484
Chan, J. A., see Poehland, B. L. 459
Cramer, S. M., see Subramanian, G. 341
Cserháti, T.
——, Szejtli, J. and Fenyvesi, É.
Reversed-phase thin-layer chromatography of some chlorophenols in the presence of a soluble β-cyclodextrin polymer 393
Curvale, C., see Jardy, A. 137
Davídek, J., see Hajšlová, J. 307
De Jong, G. J., see Irth, H. 63
Derlagen, H., see Baumann, R. A. 165
Diemann, E., see Weiss, J. 93
Diop, A., see Jardy, A. 137
Dzido, T.
Modification of retention of some alkaloids in the system silanized silica/methanol + water + di(2-ethylhexyl)orthophosphoric acid 257
El Tayar, N.
——, Tsantili-Kakoulidou, A., Roethlisberger, T., Testa, B. and Gal, J.
Different partitioning behaviour of sulphonyl-containing compounds in reversed-phase high-performance liquid chromatography and octanol–water systems 237
Everaerts, F. M., see Lemmens, A. A. G. 423
Excoffier, J. L., see Schlabach, T. D. 173
Ezra, I., see Massil, S. E. 476
Feit, M. J., see Pesselman, R. L. 448
Fenyvesi, É., see Cserháti, T. 393
Fermaint, A., see Zaromb, S. 283
Fishman, L. M., see Brown, J. W. 441
Fraser, A. J.
—— and Taggart, C. T.
Thin-layer chromatography–flame ionization detection calibration with natural and synthetic standards 404
Frei, R. W., see Baumann, R. A. 165
——, see Irth, H. 63
Fritz, J. S.
A look at contemporary ion chromatography 3
Gal, J., see El Tayar, N. 237
Galensa, R., see Heimhuber, B. 481
Garaev, E. S., see Zaslavsky, B. Yu. 267
Garthwaite, K., see Japp, M. 317
Geeson, A. V., see Japp, M. 317
Gilpin, R. K., see Yang, S. S. 414
Gjerde, D. T.
Eluent selection for the determination of cations in ion chromatography 49

Author Index

Agrawal, O. P., see Kharbade, B. V. 430
Aleschko-Ozhevskii, Yu. P., see Zaslavsky, B. Yu. 267
Ansari, K. A.
—— and Shoeman, D.
Rapid separation of free fatty acids from neutral lipids in brain extracts 453
Arvidsson, T.
Effects of drug–protein binding on trace enrichment of drugs in blood plasma on short precolumns 353
Bagirov, T. O., see Zaslavsky, B. Yu. 267
Bakker, F. P., see Keuken, M. P. 13
Baltensperger, U.
—— and Kern, S.
Determination of mono- and divalent cations and anions in small fog samples by ion chromatography 121
Baumann, R. A.
——, Kamminga, D. A., Derlagen, H., Gooijer, C., Velthorst, N. H. and Frei, R. W.
Dynamic quenching of europium(III) and terbium(III) luminescence: a potential detection method in ion chromatography 165
Baumhoer, G., see Blaszkewicz, M. 109
Blaszkewicz, M.
——, Baumhoer, G., Neidhart, B., Ohlendorf, R. and Lindscheid, M.
Identification of trimethyllead in urine by high-performance liquid chromatography with column switching and chemical reaction detection and by liquid chromatography–mass spectroscopy 109
Brinkman, U. A. Th., see Irth, H. 63
Brouwer, E., see Irth, H. 63
Brown, J. W.
——, Carballeira, A. and Fishman, L. M.
Rapid two-dimensional thin-layer chromatographic system for the separation of multiple steroids of secretory and neuroendocrine interest 441
Buchberger, W.
Determination of iodide and bromide by ion chromatography with post-column reaction detection 129
Budd, R. D., see Mathis, D. F. 466
Carballeira, A., see Brown, J. W. 441
Caude, M., see Jadaud, Ph. 195
——, see Jardy, A. 137
Chae, K.
——, Levy, L. A. and Korach, K. S.
Chromatographic separation and isolation of the enantiomers of diethylstilbestrol metabolites 484
Chan, J. A., see Poehland, B. L. 459
Cramer, S. M., see Subramanian, G. 341
Cserháti, T.
——, Szejtli, J. and Fenyvesi, É.
Reversed-phase thin-layer chromatography of some chlorophenols in the presence of a soluble β-cyclodextrin polymer 393
Curvale, C., see Jardy, A. 137
Davídek, J., see Hajšlová, J. 307
De Jong, G. J., see Irth, H. 63
Derlagen, H., see Baumann, R. A. 165
Diemann, E., see Weiss, J. 93
Diop, A., see Jardy, A. 137
Dzido, T.
Modification of retention of some alkaloids in the system silanized silica/methanol + water + di(2-ethylhexyl)orthophosphoric acid 257
El Tayar, N.
——, Tsantili-Kakoulidou, A., Roethlisberger, T., Testa, B. and Gal, J.
Different partitioning behaviour of sulphonyl-containing compounds in reversed-phase high-performance liquid chromatography and octanol–water systems 237
Everaerts, F. M., see Lemmens, A. A. G. 423
Excoffier, J. L., see Schlabach, T. D. 173
Ezra, I., see Massil, S. E. 476
Feit, M. J., see Pesselman, R. L. 448
Fenyvesi, É., see Cserháti, T. 393
Fermaint, A., see Zaromb, S. 283
Fishman, L. M., see Brown, J. W. 441
Fraser, A. J.
—— and Taggart, C. T.
Thin-layer chromatography–flame ionization detection calibration with natural and synthetic standards 404
Frei, R. W., see Baumann, R. A. 165
——, see Irth, H. 63
Fritz, J. S.
A look at contemporary ion chromatography 3
Gal, J., see El Tayar, N. 237
Galensa, R., see Heimhuber, B. 481
Garaev, E. S., see Zaslavsky, B. Yu. 267
Garthwaite, K., see Japp, M. 317
Geeson, A. V., see Japp, M. 317
Gilpin, R. K., see Yang, S. S. 414
Gjerde, D. T.
Eluent selection for the determination of cations in ion chromatography 49

Gooijer, C., see Baumann, R. A. 165
Grushka, E., see Massil, S. E. 476
Haddad, P. R., see Jackson, P. E. 37
—— and Rochester, N. E.
Ion-interaction reversed-phase chromatographic method for the determination of gold(I) cyanide in mine process liquors using automated sample preconcentration 23
Hagen, M., see Rieck, M. 301
Hajšlová, J.
——, Kocourek, V., Zemanová, I., Pudil, F. and Davídek, J.
Gas chromatographic determination of chlorinated phenols in the form of various derivatives 307
Hashimoto, H., see Koyama, Y. 417
Heimhuber, B.
——, Galensa, R. and Herrmann, K.
High-performance liquid chromatographic determination of polymethoxylated flavones in orange juice after solid-phase extraction 481
Herrmann, K., see Heimhuber, B. 481
Hosomi, M., see Koyama, Y. 417
Howell, S., see Smith, R. E. 83
Hu, R. Z., see Tian, Z. W. 151, 159
Hu, W. L., see Tian, Z. W. 151
Ioffe, B. V., see Zenkevich, I. G. 185
Irth, H.
——, Brouwer, E., De Jong, G. J., Brinkman, U. A. Th. and Frei, R. W.
Trace enrichment and separation of As^{III}, Sb^{III} and Bi^{III} as diethyldithiophosphate complexes by reversed-phase high-performance liquid chromatography 63
Jackson, P. E.
—— and Haddad, P. R.
Studies on sample preconcentration in ion chromatography. VII. Review of methodology and applications of anion preconcentration 37
Jadaud, Ph.
——, Caude, M. and Rosset, R.
Main parameters governing the retention of polynuclear aromatic hydrocarbons on tetrachlorophthalimidopropyl-bonded silica 195
Japp, M.
——, Garthwaite, K., Geeson, A. V. and Osselton, M. D.
Collection of analytical data for benzodiazepines and benzophenones 317
Jardy, A.
——, Caude, M., Diop, A., Curvale, C. and Rosset, R.
Single-column anion chromatography with indirect UV detection using pyromellitate buffers as eluents 137
Jelínek, I.
——, Snopek, J. and Smolková-Keulemansová, E.
Use of cyclodextrins in isotachophoresis. V. The separation of ketotifen and its polar intermediate enantiomers 386
Jong, G. J., de, see Irth, H. 63
Jongejan, P. A. C., see Keuken, M. P. 13
Jonker, H. D., see Lemmens, A. A. G. 423
Joshi, G. P., see Kharbade, B. V. 430
Kamminga, D. A., see Baumann, R. A. 165
Kato-Jippo, T., see Koyama, Y. 417
Kern, S., see Baltensperger, U. 121
Keuken, M. P.
——, Slanina, J., Jongejan, P. A. C. and Bakker, F. P.
Optimization of ion chromatography using commercially available detection systems and software 13
Kharbade, B. V.
——, Srivastava, N., Joshi, G. P. and Agrawal, O. P.
Thin-layer chromatographic analysis of some Indian natural resins occurring in art objects 430
Kocourek, V., see Hajšlová, J. 307
König, W. A., see Rieck, M. 301
Koenigbauer, M., see Ravichandran, K. 213
Korach, K. S., see Chae, K. 484
Koyama, Y.
——, Hosomi, M., Miyata, A., Hashimoto, H., Reames, S. A., Nagayama, K., Kato-Jippo, T. and Shimamura, T.
Supplementary and revised assignment of the peaks of the 7,9-, 9,9′-, 13,13′-, 9,13′-di-*cis* and 9,9′,13-tri-*cis* isomers of *β*-carotene in high-performance liquid chromatography using a column of calcium hydroxide 417
Kraus, A., see Matisová, E. 381
Kraus, G., see Matisová, E. 381
Lauren, D. R.
——, Taylor, H. J. and Rahman, A.
Analysis of the herbicides dicamba, clopyralid and bromacil in asparagus by high-performance liquid chromatography 470
Lemmens, A. A. G.
——, Everaerts, F. M., Venema, J. W. and Jonker, H. D.
Isotachophoretic determination of the cationic constituents in mixtures of raw materials for glass manufacturing 423
Levy, L. A., see Chae, K. 484
Lewis, J. J., see Ravichandran, K. 213
Lin, H. S., see Tian, Z. W. 151, 159
Linscheid, M., see Blaszkewicz, M. 109
Lutz, S., see Rieck, M. 301
MacQuarrie, R. A., see Smith, R. E. 83
Mahmudov, A. U., see Zaslavsky, B. Yu. 267

Massil, S. E.
——, Ezra, I. and Grushka, E.
Determination of amidines by reversed-phase ion-pair high-performance liquid chromatography 476
Mathis, D. F.
—— and Budd, R. D.
Extraction of acetaminophen and theophylline from post-mortem tissues and urine for high-performance liquid chromatographic analysis 466
Matisová, E.
——, Kraus, G. and Kraus, A.
New liquid crystalline stationary phase for capillary gas chromatography 381
Mauk, A. G., see Mauk, M. R. 408
Mauk, M. R.
—— and Mauk, A. G.
Characterization of wild-type and mutant forms of yeast iso-1-cytochrome *c* by reversed-phase high-performance liquid chromatographic tryptic peptide mapping 408
Miheeva, L. M., see Zaslavsky, B. Yu. 267
Mitnaul, L. J., see Zaromb, S. 283
Miyake, K.
——, Mizuno, N. and Terada, H.
Effect of hydrogen bonding on the high-performance liquid chromatographic behaviour of organic compounds. Relationship between capacity factors and partition coefficients 227
Miyata, A., see Koyama, Y. 417
Mizuno, N., see Miyake, K. 227
Möckel, H. J., see Weiss, J. 93
Müller, A., see Weiss, J. 93
Nagayama, K., see Koyama, Y. 417
Neidhart, B., see Blaszkewicz, M. 109
Ohlendorf, R., see Blaszkewicz, M. 109
Osselton, M. D., see Japp, M. 317
Pacáková, V., see Wu, M. 363
Peltonen, K.
—— and Pukkila, J.
Determination of bisphenol A in air by high-performance liquid chromatography with electrochemical detection 375
Pesselman, R. L.
—— and Feit, M. J.
Determination of residual epichlorohydrin and 3-chloropropanediol in water by gas chromatography with electron-capture detection 448
Phillips, M. W., see Subramanian, G. 341
Poehland, B. L.
—— and Chan, J. A.
Direct broth assay for sparsomycin and related nucleoside antitumor antibiotics using reversed-phase high-performance liquid chromatography 459
Pond, T., see Smith, R. E. 83
Powley, C. R., see Ravichandran, K. 213
Premkumar, N., see Smith, R. E. 83
Pudil, F., see Hajšlová, J. 307
Pukkila, J., see Peltonen, K. 375
Quandt, K., see Zaromb, S. 283
Rahman, A., see Lauren, D. R. 470
Ravichandran, K.
——, Lewis, J. J., Yin, I.-H., Koenigbauer, M., Powley, C. R., Shah, P. and Rogers, L. B.
Computer-controlled linear pH gradient for high-performance liquid chromatographic fractionations of aromatic carboxylic acids and of humic and fulvic acids 213
Reames, S. A., see Koyama, Y. 417
Rice, L. M., see Zaromb, S. 283
Rieck, M.
——, Hagen, M., Lutz, S. and König, W. A.
Enantiomer separation of acyloins and cyanohydrins by enantioselective capillary gas chromatography 301
Rochester, N. E., see Haddad, P. R. 23
Roethlisberger, T., see El Tayar, N. 237
Rogers, L. B., see Ravichandran, K. 213
Rosset, R., see Jadaud, Ph. 195
——, see Jardy, A. 137
Sacchetto, G. A., see Wu, M. 363
Saitoh, K.
——, Tsukahara, S. and Suzuki, N.
Liquid chromatographic retention of β-diketonato complexes of chromium(III) and palladium(II) in octadecyl-bonded silica/water–methanol systems. Comparison with liquid–liquid partition using dodecane as a model alkyl-bonded phase 245
Schlabach, T. D.
—— and Excoffier, J. L.
Multi-variate ranking function for optimizing separations 173
Shah, P., see Ravichandran, K. 213
Shimamura, T., see Koyama, Y. 417
Shoeman, D., see Ansari, K. A. 453
Slanina, J., see Keuken, M. P. 13
Smith, R. E.
——, Howel, S., Yourtee, D., Premkumar, N., Pond, T., Sun, G. Y. and MacQuarrie, R. A.
Ion chromatographic determination of sugar phosphates in physiological samples 83
Smolková-Keulemansová, E., see Jelínek, I. 386
Snopek, J., see Jelínek, I. 386
Srivastava, N., see Kharbade, B. V. 430
Štulík, K., see Wu, M. 363
Subramanian, G.
——, Phillips, M. W. and Cramer, S. M.
Displacement chromatography of biomolecules 341
Sun, G. Y., see Smith, R. E. 83
Suzuki, N., see Saitoh, K. 245

Szejtli, J., see Cserháti, T. 393
Taggart, C. T., see Fraser, A. J. 404
Tayar, N. El, see El Tayar, N. 237
Taylor, H. J., see Lauren, D. R. 470
Terada, H., see Miyake, K. 227
Testa, B., see El Tayar, N. 237
Tian, Z. W.
——, Hu, R. Z., Lin, H. S. and Hu, W. L.
Effect of suppression efficiency on sensitivity in ion chromatography 151
——, Hu, R. Z., Lin, H. S. and Wu, J. T.
High-performance electrochemical suppressor for ion chromatography 159
Tsantili-Kakoulidou, A., see El Tayar, N. 237
Tsukahara, S., see Saitoh, K. 245
Velthorst, N. H., see Baumann, R. A. 165
Venema, J. W., see Lemmens, A. A. G. 423
Walberg, H.-J., see Weiss, J. 93
Walser, P.
New ion-exclusion phase for organic acids 71
Weiss, J.
——, Möckel, H. J., Müller, A., Diemann, E. and Walberg, H.-J.
Retention of thio- and selenometalates in mobile-phase ion chromatography 93
Woo, C. S., see Zaromb, S. 283
Wu, J. T., see Tian, Z. W. 159
Wu, M.
——, Pacáková, V., Štulík, K. and Sacchetto, G. A.
Ion-pair high-performance liquid chromatography of inorganic anions with photometric, conductometric and amperometric detection 363
Yang, S. S.
—— and Gilpin, R. K.
Reversed-phase separation of a standard mixture of polycyclic aromatic hydrocarbons on an adamantyl surface 414
Yin, I.-H., see Ravichandran, K. 213
Yourtee, D., see Smith, R. E. 83
Zaromb, S.
——, Woo, C. S., Quandt, K., Rice, L. M., Fermaint, A. and Mitnaul, L. J.
Simple permeation absorber for sampling and preconcentrating hazardous air contaminants 283
Zaslavsky, B. Yu.
——, Miheeva, L. M., Aleschko-Ozhevskii, Yu. P., Mahmudov, A. U., Bagirov, T. O. and Garaev, E. S.
Distribution of inorganic salts between the coexisting phases of aqueous polymer two-phase systems. Interrelationship between the ionic and polymer composition of the phases 267
Zemanová, I., see Hajšlová, J. 307
Zenkevich, I. G.
—— and Ioffe, B. V.
System of retention indices for a linear temperature programming regime 185